

PROPOLIS



Examination of the chemical composition of propolis I.

Isolation and identification of the 3,4- dilychoxycinamic acid (caffeic acid) from propolis.-- J.Cizmarik; J.Matel (Fac.Pharm.Comenius Univ.,Bratislava,Czech.) Experientia 26(7):713,1970 (Eng.)

C.A. 73:59246v

1970

Phytoinhibidor of a bee colony (*Apis mellifica*) II.solanum tuberosum/ Michel Gomet (Sta.Exper.Apicult. 11(2): 105-16,1968 (Fr.)

C.A. 72:42047n

1970

Propolis flavonoids. Isolation of a new bacteriostatic / substance, pinocembrin (5,7- dihydroxy flavonone) Victor R. Villanueva; Michel Babier; M.Gomet; P.Lavie.-- (Inst. Chim.Subst.Natur, C.N.R.S.,Gif-sur-Uvette,Fr.) Amm.Inst. Pasteur, Paris.-- 118(1),84,7,1970 (Fr.)

C.A. 72: 107167y

1970

In vivo activity of propolis against *Bacillus* in larvae/  
L.A. Lindenfelser (Northerne Reg.Res.Lab.Peonia III)  
J.Invertebr.Pathol. 12(1):129-31,1969 (Eng.)

C.A. 72:129683

1970

Anesthetic properties of propolis (bee gene). Ts.Tsaka  
(Vissh.Vet.Med.Inst., Sofia, Bulg.) Farmatsiya (Sofia)  
23(2): 38-41, 1973 (Bulg.)

C.A. 79:96883  
1973

Combined action of antibiotics and propolis on staphylo-  
coccus aureus and Escherichia coli/ V.P.Kivalkina; U.P.  
Gorshunova/ Kazan.Vet.Inst.; Kazan USSR) Fitontsydy, Mater.  
soveshsh, 6th. 1969, 103-5, (Pub.1972) Russ)

C.A. 78:53206p  
1973

Chemical composition of propolis.2. Isolation and identi-  
fication of 4-hydroxy-3 methoxycinnamic acid (ferulic acid)  
from propolis/ Josep Cizmarik; Ivan Matel.-- (Fac. Pharm.  
Comenius Univ. Bratislava ,Czech.) J. Apicul.Res. 12(1):  
52-4, 1973 (Eng.)

C.A. 79:50844e  
1973

Occurrence of fatty acids in propolis/ W.Heinen; H.F.Liuskens.--  
(Dep.Bot.Univ.Nijmegen,Nijmegen,Nth.) Port.Acta.Biol.Ser.A. /  
1971-1972 (Pub.1972) (Eng.)

C.A. 79:102739w  
1973

Chemical structure of propolis. Isolation and identification  
of 4-hydroxy- 3- methoxycinamic acid from propolis/ J.Cizmarik;  
I. Matel / (Czech). (Russ)

C.A.82:160157c  
1975



Effect of propolis on immunological indexes in tests of hyperimmunization with tetanus anatoxin/ E.L.Budakova (Dep.Microbiol. Kazan Vet, Inst.Kazan, USSR Apic.A. str.) 25(2):161-4, 1974 (Russ)

82:110240d

1975

Experimental and chimical experience of the treatment of wounds of domestic animals with a locally applied alcoholic solution Propolis/ C.A. 83:201976k J.Sutta; J.Hanko; J. Janda; J.Tkac (Dep.Chir.Otthop. Univ.Vet.Med.Ko-sice, Czech) Folia Vet 18(1-2), 143-7, 1975 (Slo)

1975

Physicochemical and microbiological properties and quantitative determinations of water-soluble polyphenol preparations from propolis /A.I. Tikhonov.; D.P.Salo; D.P.Kolomiets; N.G.Rybalko.-- (Zaporozhe Med.Inst. Zaporozhe, USSR) Farm.Zh. (Kiev.) 30(3):42-8, 1975 (Ukrain)

C.A. 83:142433f

1975

Propolis. Chemical Composition, biological activity origin, and problems of standardization/ S.A. Popravko.-- (USSR) Tr. Mizhdunar. Simp. Primen. Prof. Pchelovod.Med.Vet. 1971 (Pub.1972), 133-7 (Russ)

C.A. 82:160139y

1975

Bioautographic detection of the antimicrobically active constituents of propolis/ J. Metzner; H.Bekemeier; E.Scheneidewind; et al.--(Inst.Apoth. Berlin, E.Ger.) Pharmazie 30(12):799-80, 1975 (Ger)

C.A. 84:86746s

1976

Effect of propolis on skin fungus/ J.Cizmarik; J.Trupl.--(Pharm.Fac.Ko-mensky Univ. Bratislava,Czech.) Pharmazie 1976, 31(1):55 (Ger)

C.A. 84; 116319z

1976

Increasing the solubility of propolis in water / Sven E.Salomon.--Dan, 133,584 (C1 A61K78), 14 Jun 1976 Appl. 74/794, 15 Feb 1974, 3pp.

C.A.85:198170b

1976

On the knowledge of the constituents of propolis/ E.M.Scheneidewind; H. Kala, B.Linzer; J.Metzner.-- (Inst.Apth.Berlin,E.Ger.) Pharmazie 30(12): 803, 1975 (Ger)

C.A.:84:86747t

1976