

FACULTAD DE QUIMICA  
DEPARTAMENTO DE DOCUMENTACION Y BIBLIOTECA  
SECCION INFORMACION Y SERVICIOS AUXILIARES



BIBLIOGRAFIA:

TEMA SOLICITADO: TEOFILINA-ANALISIS EN PLASMA O SANGRE CON T.L.C., G.L.C., H.P.L.C.

FUENTE:

- |   |             |
|---|-------------|
| Rapid assay for theophylline in clinical samples by reversed-phase high-performance liquid chromatography / Pamela J. Naish; Michael Cooke; Robin E. Chambers. — <u>J. Chromatogr. Biomed. Appl.</u> 163(4):363-72, 1979                | A.A.38:5D41 |
| Rapid ultra-violet spectrophotometric procedure for micro-determination of theophylline(1,3-dimethylxanthine) in plasma or serum/ A.J. Fellenberg; A.C. Pollard. — <u>Clin. Chim. Acta</u> 92(2):267-72, 1979                           | A.A.38:1D39 |
| Theophylline estimation-comparative evaluation of a gas-chromatographic method and a high-performance liquid-chromatographic method/ Pamela J. Naish; Robin E. Chambers; Michael Cooke. — <u>Ann. Clin. Biochem.</u> 16(5):254-58, 1979 | A.A.38:5D42 |
| Trisulphapyrimide interference with liquid chromatographic analysis for theophylline and diprophylline/ Lawrence W. Bond; Debra L. Thomson. — <u>Clin. Chem.</u> 25(6):1186-87, 1979  | A.A.38:3D39 |
| Determination of plasma theophylline/ C. Benattar; R. Keluc. — <u>Pharm. Biol.</u> 13(121):233-34, 1979 (fr)  | A.A.39:4D40 |

- Determination of theophylline in plasma / G.Morgant;F.Veinberg; M.L.Bouthenet.(et.al).—Feuill.Biol. 20(106):117-19,1979(fr) A.A.39:2D49
- Micro-estimation of plasma theophylline by gas-liquid chromatography with on-column butylation and nitrogen specific detection/ Gary Martin Schier;Ignatius Eng Tho Gan.—J.Chromatogr.Biomed.Appl. 182(2):232-36,1980 A.A.39:6D53
- Rapid and selective theophylline serum and saliva assay by high-pressure liquid chromatography / J.H.G.Jonkman;R.Schoemaker;J.E.Greving.(et.al).—Pharm.WeekbT.Sci.Ed. 2(2):557-61,1980 A.A.39:6D51
- Separation and quantitation of theophylline and paraxanthine by reversed-phase liquid chromatography / Herbert H.<sup>F</sup>anish;William A.Wargin.—Clin.Chem. 26(3):524-25,1980 A.A.39:5D30
- Single-column high-pressure liquid chromatographic determination of drugs in blood /Patrick Draper;Dennis Shapcott;Bernard Lemieux.Clin.Biochem(Ottawa) 12(2):52-55,1979 A.A.39:3D38
- Determination of theophylline in blood by high-pressure liquid chromatography/ G.Meuillet;M.C.Santais;F.Ruff.—Toxicol.Eur.Res. 2(2):111-14,1979 (fr) A.A.40:2D35
- Simultaneous determination of diphylline(diprpphylline) and theophylline in human plasma by high-performance liquid chromatography/ Kirti H.Valia;Craig A.Hartman;Norbert Kucharczyk(et.al).—J.Chromatogr.Biomed.Appl. 221(1):170-75,1980 A.A.40:6D50

FACULTAD DE QUIMICA  
DEPARTAMENTO DE DOCUMENTACION Y BIBLIOTECA  
SECCION INFORMACION Y SERVICIOS AUXILIARES

BIBLIOGRAFIA:

TEMA SOLICITADO: TEOFILINA-ANALISIS EN PLASMA O SANGRE CON T.L.C., G.L.C., H.P.L.C.

FUENTE:

- |  |             |
|--|-------------|
| Simultaneous determination of theophylline and caffeine after extractive alkylation in small volumes of plasma by gas chromatography-mass spectrometry / Susane Floberg; Bjorn Lindstrom; Gudmar Lounerholm. — <u>J.Chromatogr.Biomed.Appl.</u> 221(1):166-69,1980 | A.A.40:6D51 |
| Determination of plasma theophylline by straight-phase high-performance liquid chromatography: elimination of interfering caffeine metabolites / P. Van Aerde; E. Moerman; R. Van Severen (et.al). — <u>J.Chromatogr.Biomed.Appl.</u> 222(3):467-74,1981           | A.A.41:5D73 |
| Determination of theophylline in plasma by high-performance liquid chromatography / J.P. Sommadossi; C. Aubert; J.P. Cano (et.al). — <u>J.Liq.Chromatogr.</u> 4(1):97-107,1981   | A.A.41:2D53 |
| Simultaneous determination of theophylline, theobromine and caffeine in plasma by high-performance liquid chromatography / T. Foenander; D.J. Birkett; J.O. Miners (et.al). — <u>Clin.Biochem.</u> (Ottawa) 13(3):132-34,1980                                      | A.A.41:3D51 |

Measurement of plasma theophylline by gas-liquid chromatography on the stationary phase SP-2510/ Gary Martin Schier; Ignatius Eng The Gan.—J.Chromatogr. Biomed. Appl. 14(1):208-12, 1981

A.A.42:5D49

Reversed-phase high-performance liquid-chromatographic determination of caffeine and its N-demethylated metabolites in dog plasma Francis L.S. Tse; Daniel W. Szeto.—J.Chromatogr. Biomed. Appl. 226(1):231-36, 1981

A.A.42:6D52

Theophylline determination by high pressure liquid chromatography / Larry A. Broussard.—Clin.Chem. 27(11):1931-33, 1981

A.A.42:6D53

Simultaneous determination of acetaminophen (paracetamol), theophylline and salicylate in serum by high-performance liquid chromatography/ Bengt Kinberger; Anders Holmen.—J.Chromatogr. Biomed. Appl. 229(2):492-97, 1982

A.A.43:5D70

