

BIBLIOGRAFIA

OCTUBRE 1980

SECCION INFORMACION Y SERVICIOS AUXILIARES

TEMA: Pigmentos: antocianinas

betacianinas

quimiotaxonomía

plantas medicinales o tóxicas

PIGMENTOS



1978-v/88

Anthocyanins of the Fouquieriaceae/ Ron Scogin
Ron Scogin (Rancho Santa Ana Bot.Gard., Clare-
mont, Calif.) Biochem.Syst.Ecol. 5(4):265-7,1977
(Ing.)

A biosystematic study of the fern genus Bommeria/
Christopher Hardin, Haufler (Indiana Univ., Bloomington,
Indiana) 175pp.,1977.Avail.Univ.Microfilms.Inst.
Order.No 77-22,692 From. Diss,Abstr.Int.B. 38(4).
#531,1977 (Ing.)

Conversion of hydroxylated and metylated dihydro-
flavonols into anthocyanins in a white flowering
mutant of Petunia Hybrida/ K.F.F.Kho, (Dep.Plant.
Physiol.,Univ.Amterdsam,Amsterdam,Neth Phytoche-
mistry 17(2):245-8.,1978 (Ing,)

Chemical evidence for separating the Psilotaceae
from the Filicales./ Gillian Cooper-Driver.(Biol.
Sci.Cent.Boston Univ.,Boston Mass.)Science 198
4323) 1260-2,1977 (Ing.)

Chemical investigations of flowers of Tribulus
terrestris/ H.C.Shamma; J.L.Narula (Dep.Chem.
Indian Inst.Technol. New Delhi, India)Chem.Era
13(1):15-17,1977 (Ing.)

Chemosystematics of the genus *hazardia* (Compositae: Astereae) Denis William Clark (Univ. Texas, Austin Tex.) 242p., 1977 (Ing.)

C.A. 88: 34549t

Genetic control of chalcone-flavanone isomerase activity in *callistephus chinensis* B., Kulm; G. Forkmann; W. Seyffert; (Inst. Biol. II., Univ. Tuebingen, Tuebingen, Ger.) Planta 138(3):199-203, 1978. (Ing.)

C.A. 88: 117917n

A hypothesis on the inheritance of flower colors and flavonoids in *Rhododendron simsii* Planch/ J. Heussel; W. Hour; (Inst. Ornamental Plant. Grow. Melle, Belg.) Z. Pflanzenzuecht 79(3):238-49, 1977. (Ing.)

C.A. 88: 34643u

Metabolism of phenolic compound in *Petunia* v. use of phenylalanine by isolated chloroplasts/ Raoul, Rarigeva; Gilbert Alibert; Alain Ma Bonnet (Cent. Physiol. Veg. Toulouse,) Plant Sci. Lett. 10(3): 225-34, 1977 (Fr.)

C.A. 88: 34547r



1978/ v.88

- Modification of the B-ring during flavonoid synthesis in *Petunia hybrida*: introduction of the 3-hydroxy group regulated by the gene Ht1/A.J.H.Tabak; H. Meyer; G.J.H.Bemink (Inst.Genet.Univ.Amsterdam, Amsterdam, Nthe.) Planta 139(1):67-71,1978 (Ing.) 88: 117915 k C.A.
- Precursors and genetic control of anthocyanin synthesis in *Matthiola incana* R.Br./ Gert Forkmann (Inst. Biol.II, Univ. Tuebingen, Tuebingen, Ger.) Planta 137(2): 159-63,1977 (Ing.) 88: 34641s C.A.
- Preliminary observations on anthocyanin content in a white-flowered globe artichoke (*cynara seohynus* L.) mutant./ C. Foury; S.Aubert (Cent.Rech.Agron.Avignon, Inst.Wath.Rech.Agron.Montfavet,Fr.) Ann.Amelior Plant. 27(5): 603-12,1977 (Fr.) 88: 117793v C.A.
- Study technique and data concerning the polyphenols of French medicinal plants/ Philippe Leheton (Dep.Biol. Veg.Univ.Claude Bernard, Lyon) Farm.Vestu (Ljubljana) 28(2):73-88,1977 (Fr.) 88: 3039x C.A.

1978/v,89

Anthocyanic pigments from the flowers of *centaurea montana* and *centaurea lugdunensis* (compositae)/ K.Kamanzi; J. Rayannd (Lab.Bot.Biol.Cell.Fac.Pharm.Lyon,Fr.).
Plan.Med.Phytother. 11(4):289-93,1977 (Fr.)

89: 56456h
C.A.

Comparative phytochemistry and systematics of anacych/
Harald Greger (Bot.Inst.Univ.Wien,Vienna,Austria)
Biochem.Syst.Ecol. 6(1):11-17,1978 (Ing.)

89: 103702x
C.A.

Chemical systematics of the family Gentianaceae/
M.Daniel; S.D.Sabnis. (Fac.Sci.,Maharaja Sayajirao
Univ. Baroda,Baroda, India.) Curr.Sci. 47(4):108-11,
1978, (Ing.)

89: 133277j
C.A.

The chemistry of Brazilian Lauraceae. Part. XLVIII chemosystematic implications of flavonoids in *Aniba riparia*/ Joao B. Fernandes; Otto. R. Gottlieb; Lucia M. Xavier. (Centro Cienc. Tecnol.Univ.Fed.Sao Carlos, Sao Carlos, Brazil) Biochem. Syst.Ecol. 6(1): 55-8,1978 (Ing.)

89: 103703y
C.A.

Chemotaxonomic studies in the saxifragaceae s.l.10.the flavonoids of *heuchera cylinchnica*/ B.A. Bohrn; C.K.Wilkins (Bot.Dep.Univ.British Columbia, Vancouver,B.C.)
Can.J.Bot. 56(9): 1174-6,1978 (Ing.)

89: 103730
C.A.

PIGMENTOS



1978/v.89

Chromosome banding and synthetic systematics in
Anacyclus (Asteraceae; Anthemideae)/Friedrich
Ehrendorfer; Dieter, Schweizer; Harald Geiger;
Christopher Humphries (Bot.Inst.Univ.Vienna,
Vienna, Austria) Taxon 26(4):387-94,1977 (Ing.)

89: 56560
C.A.

Flavonoid chemistry and the phylogenetic relationship
of the Julianiaceae / David A. Young (Dep. Bot.Univ.
Illinois, Urbana, III) Syst. Bot. 1(2), 149-62,
1976. (Ing.)

89: 39405y
C.A.

Flavonoid patterns in the prosopis juliflora complex/
Louis H. Bragg; Hohn D. Bacon; Calvin McMillan;
Tom J. Mabry (Dep. Biol.Univ.Texas,Arlington Tex.)
Biochem.syst.Ecol. 6(2): 113-16,1978 (Ing.)

89: 176312e
C.A.

Flower pigments of Enythrina suberosa Roxb./ Y.S.Ver-
ma; U.K.Saxena; S.S.Nigam (Dep.Chem.Univ.Saugar,Sagar,
India. Porc.Nath. Acad.Sci.India Sect. A. 47(1):71,
1977 (Ing)

89: 176339u
C.A.

Isolation of Kaemfferol-3-O-rhamnoglucoside from
zephyranthes candida! / Mitsuru Nakayama; Tokunaru
Horie; Masao, Tsukayama; Mitsuo Masumura; Shuichi
Hayaishi (Fac.Sci.Hiroshima Univ. Hiroshima, Japan)
Z.Naturforsch C.:Biosci. 33c(7-8):587-8,1978 (Ing.)

89: 160173z
C.A.

New aspects in the systematics of the Bowle sunae
using flavonoid patterns, inflorescence and fruit
structure / Hans. A.Froebe (Bot.Inst.Rheinisch West-
fael Tech. Hochsch., Aachen.Ger.) Umbelliferes:Con-
trib.pluridiscip. syst. Actes Symp.Inst. 2nd.1977
609-21 (Pub. 1978) (Ing.)

89: 103771u
C.A.

New research studies on biflavonoids / Inst.Pharm.
Arzneimithellehre, Univ. Muenchen, Muenich, Ger.)
Flavonoids Bioflavonoids, Prod. Hung.Bioflavonoid
symp. 56h. 67-77,1977 (Ing.)

89: 39302b
C.A.

The systematic implications of the complexity of
leaf flavonoids in the Bromeliaceae / Christine A.
Williams (Bot. Dep.Univ.Reading, Reading, Engl) Phy-
tochemistry 17(4): 729-34,1978 (Ing.)

89: 176290w
C.A.

PIGMENTOS



1978/89

Systematic implications of flavonoids in Hazardia /
W. Dennis Clark; Tom J. Mabry (Dep. Bot. Microbiol. Arizona State Univ., Tempe, Ariz.) Biochem. Syst. Ecol. 89: 39418e
6(1): 19-20, 1978 (Ing.) C.A.

1979/90

Affinities of chenopodium fabellifolium (Chenopodiaceae): Evidence from seed coat surface and flavonoid chemistry / Daniel J. Crawford; Kayleen A Evans (Dep. Bot. Ohio State Univ., Columbus, Ohio) Brittonia 30(3):313-18, 1978 (Ing.) 90: 514276 j
C.A.

Analysis of variability in the Amaranthus bioassay for cytokinins. Effects of wath stress on benzyladenine and fusicoccin-dependent responses / Daphne C. Elliott (Sch. Biol. Sci, Flinders Univ. South Australia, Bedford Park, Aust.) Plant. Physiol. 63(2): 269-73, 1979 (Ing.) 90: 183218c
C.A.

Anthocyanins from the flower of some medicinal plants / K.P. Tiwari; M. Masood; Y.K. Singh Rattore; P.K. Minocha. (Chem. Dep. Univ. Allahabad, Allahabad, India) Vignana Parishad Amsandhan Patrika 21(2):177-8, 1978 90: 183171g
C.A.

Azalea indica flower color as related to the parameters pH, anthocyanins and flavonol co-pigments/
R. De Loose (Irradiat.Lab.Inst. Ornamental Plant. Grow., Louvain Belg.) Sci.Hortic. (Amsterdam) 9(3): 285-90, 1978. (Ing.)

90: 36470a
C.A

Chemosystematic studies in saxifragaceae sensulato.
8. The flavonoids of Elmera racenosa / Bruce A.Bohm; Cornelius K. Wilkins (Int.Cent.Insect.Physiol, Nairobi, Kenya) Brittonia 30(3): 327-33, 1978 (Ing.)

90: 51425h
C.A

Chemotazonomy and phytochemical ecology of brakew/
Gillien Cooper-Driver (Biochem.Lab.ARC Kew /Richmond/ Surrey, England) Bot.J.Linn Soc. 73(1-3):35-46, 1976. (Ing.)

90: 164669j
C.A

The extractives of Japanese cladrastis species IX.
Chemotazonomical comparison of flavonoid constituents between cladrastis platycarpa and C. Shikokiana/Hideo Bhashi; Hiroyuki Imamura (Fac.Ajinc Gipu Univ.Gipu; Japan) Mokuzai Gakkaishi 24(10): 750-9, 1978 (Ing)

90:36303y
C.A

PIGMENTOS

1979/v.90



Flavonoid chemical markers in poinsettia bracts
S.bracts/ A. Asen. (Sci. Educ. Adm., USDA, Beltsville,
Md.) J. Am. Soc. Hort. Sci. 104(2):223-6, 1979
(Ing.)

90: 200264j
C.A

Flavonoid chemistry of chenopodium fremontii infraspecific
variation and systematic implications at the
interspecific level / Daniel J. Crawford; Tom J. Mabry
(Dep. Bot. Ohio) Biochem. Syst. Ecol. 6(3): 189-92, 1978
(Ing.)

90: 19087p.
C.A

Flavonoid patterns and systematics in Eleusine/ K.W.
Hilu; J.M.J. De Wet (Dep. Bot. Univ. Illinois Urbana,
III) Biochem. Syst. Ecol. 6(3): 247-9, 1978 (Ing.)

90: 19088q
C.A

Flavonoids and the evolution of the angiosperms /
Jeffrey B. Harborne (Plant. Sci. Lab. Univ. Reading,
Whiteknights / Reading. Engl.) Nova Acta Leopold.
suppl. 7:563-604, 1976 (Ing.)

90: 198926p
C.A

Flavonoids of Plummera: taxonomic implications at
the generic level within the Gaillardinae/ Mark W.
Bierner (Dep. Bot. Univ. Tennessee, Knoxville, Tenn.)
Biochem. Syst. Ecol. 6(4): 293-5, 1978 (Ing.)

90: 148474m
C.A

Flavonols and C-glycosyl flavonoids of the caryo-
phyllales/ Mick Richardson (Plant.Sci.Lab., Univ.
Reading, Reading, Engl.) Biochem.Syst. Ecol. 6(4):
283-6, 1978. (Ing.)

90: 148472j

C.A

Flower color and anthocyanin inheritance of tetra-
ploid *Pelargonium x Hortorum* Bailey./ Gordon Emitt
Buswell (Pennsylvania State Univ. University Park.
Pa.) 89pp., 1978. (Ing.)

90: 164892b

C.A

Generic relationships in Ulmaceae based on flavo-
noids chemistry./ David E. Giannasi (New York Bot.
Gard.N.Y.) Taxon. 27(4): 331-44, 1978 (Ing.)

90: 69135 y

C.A

Genetic control of chalcone isomerase activity in
anthers of *Petunia hybrida*./ G.Forkmann; B.Kuhu (Inst.
Biol.II.Univ.Tuebingen , Tuebingen Ger.) Planta 144(2):
189-92, 1979 (Ing.)

90: 69255n

C.A.

Mutagenicity of plant flavonoids: structural require-
ments for mutagenic activity in salmonella typhirmo-
rium / James T. MacGregor; Leonard Jurd (WRRC, Berke-
ley, Calif) Mutat.Res. 54(3): 297-309, 1978 (Ing.)

90: 81816d

C.A

PIGMENTOS

1979/ v.90

Naturally occurring aromatic oxygen- ring-
compounds./ R.D.H. Murray.(Univ.Glasgow.
Strathclyde, Scot.) Aromat.Heteroaromat,
chem. 6:258-81,1978 (Ing.)

90: 3090y
C.A

The occurrence and identification of flavo-
noids in *Thaumatococcus daniellii* Berith /
S.Kola Adesina; Jeffrey B. Harbone (Fac.
Pharm.Univ. Ipe, Ile-Ipe, Nigeria) Planta
Med. 34(3): 323-7,1978 (Ing.)

90: 51435m
C.A

Pigment synthesis in maize aleurone from
precursors fed to anthocyanin mutants/
Sheila McCormick (Dep.Agron. Univ.Missou-
ri, Columbia, Mo.) Biochem.Genet 16(7-8):
777-85,1978 (Ing.)

90: 69245j
C.A

Plant cell suspension cultures as a model
system for studying coordinated changes in
the enzyme activities of flavonoid biosyn-
thesis/ Klaus Hahlbrock (Biol.Inst.II., Univ.
Freiburg, Freiburg/ Br.Ger.) Nova Acta Leopold.
suppl. 7, 311-18,1976 (Ing.)

90: 183114r
C.A

Reactions of flavonoid glucosides from corollas
and lower caulina leaf blades of *Antirrhinum*
majus L.(Scrophulariaceae) under various stre-
sses// Josette Trouchet (Lab.Bot.Fac.Sci.Tech.
Besancon,Fr.) Ann.Sci.Univ.Besancon,Bot. 17:243-
9,1976 (Fr.)

90: 135164k
C.A

Some aspects of the chemistry of Pinaceae needles/
J.G.Niemann (Bot.Lab.Utrecht, Neth) Acta Bot Neerl.
28(1): 73-88,1979 (Ing.)

90: 183118v
C.A

